

FortiGate®-200D Series

Secure Protection for the Campus
Perimeter and Branch Office

The FortiGate-200D series delivers high-speed security and performance for campus perimeter and branch office wired or wireless networks. Purpose-built processors provide up to 4 Gbps firewall throughput, enabling protection of your applications and network without affecting availability or performance.

The FortiGate-200D series provides comprehensive threat protection with Fortinet's unmatched range of enterprise-grade security technologies. They deliver firewall, VPN (IPSec and SSL), intrusion prevention, antivirus/antispymware, antispam, and web filtering technologies. These platforms also provides application control, data loss prevention, dynamic routing for IPv4 and IPv6, endpoint NAC, and SSL-encrypted traffic inspection. These comprehensive security components enable you to deploy required technologies most suited for your unique environment.

Powerful, Secure, Easy to Install

FortiASIC purpose-built processors ensure that your security countermeasures will not become a network bottleneck. The FortiASIC CP8 processor delivers deep inspection security components such as application control, IPS and anti-malware. The FortiASIC NP4Lite processor delivers firewall and VPN throughput at switching speeds by performing high-speed processing of network flows.

The FortiGate-200D series installs in minutes, automatically downloading regular updates to protect against the latest viruses, network vulnerabilities, worms, spam and phishing attacks, and malicious websites with no administrator intervention. Leveraging patented FortiASIC acceleration, the FortiGate-200D series offers market-leading performance, with high-density GbE interfaces that facilitate network growth and expansion. Onboard storage provide local archiving of data for policy compliance and/or web caching.

Key Features & Benefits

Consolidated Security Architecture	FortiGate consolidated security offers better protection and lower cost of ownership than stand-alone security products
High Port Density	Up to 44 x GbE ports facilitate flexible deployment of network segments and promotes network expansion and high availability configurations
Single Pane of Glass Management	Reduces complexity and decreases costs as all security functions can be managed through one console

Performance and Protection for Mid-size Networks

- High port density delivers maximum flexibility and scalability
- Application control coupled with identity-based policy enforcement provides complete content protection
- Strong authentication options for policy compliance
- IPv6 certified platform




FortiCare
Worldwide 24x7 Support
support.fortinet.com




FortiGuard
Threat Research & Response
www.fortiguard.com

FortiGate-200D




- 1 USB Management Port
- 2 Management Port
- 3 Console Port
- 4 USB Port
- 5 2 x 10/100/1000 WAN Interfaces
- 6 16 x 10/100/1000 Internal Interfaces
- 7 2 x GbE SFP DMZ Interfaces

FortiGate-240D



- 1 USB Management Port
- 2 Management Port
- 3 Console Port
- 4 USB Port
- 5 2 x 10/100/1000 WAN Interfaces
- 6 40 x 10/100/1000 Internal Interfaces
- 7 2 x GbE SFP DMZ Interfaces



Powered by
FortiASICs

- Custom FortiASIC™ processors deliver the power you need to detect malicious content at multi-Gigabit speeds
- Other security technologies cannot protect against today's wide range of content- and connection-based threats because they rely on general-purpose CPUs, causing a dangerous performance gap
- FortiASIC processors provide the performance needed to block emerging threats, meet rigorous third-party certifications, and ensure that your network security solution does not become a network bottleneck

Content Processor

The FortiASIC CP8 content processor works outside of the direct flow of traffic, providing high-speed cryptography and content inspection services including:

- Signature-based content inspection acceleration
- Encryption and decryption offloading

Network Processor

The FortiASIC NP4Lite network processor works inline with firewall and VPN functions delivering:

- Wire-speed firewall performance for any size packets
- VPN acceleration
- Anomaly-based intrusion prevention, checksum offload and packet defragmentation
- Traffic shaping and priority queuing

Install in Minutes with FortiExplorer

The FortiExplorer™ wizard enables you to easily and quickly set up and configure FortiGate platforms with easy-to-follow instructions. The application runs on Windows, Mac OS X desktops and laptops as well as popular mobile devices. Simply connect to the appropriate USB port on the appliance, and be fully protected in minutes.

HIGHLIGHTS

Complete and Real-time Security

Fortinet designed FortiOS to deliver the advanced protection and performance that standalone products simply cannot match. The integrated technologies work together as a system to provide better visibility and mitigation of the latest network and application threats, stopping attacks before damage can occur. FortiGuard Subscription Services provide automated, real-time, up-to-date protection against security threats.

Industry Validation

The FortiGate family of physical and virtual appliances has earned more certifications than any other vendor by consistently meeting rigorous third-party standards. Our industry-leading technology provides you with air-tight security.

Unique Visibility and Control

FortiOS gives you greater visibility and more consistent, granular control over users, devices, applications and data. Dashboard widgets allow administrators to quickly view and understand real-time network activities and threat situations while reputation-based analysis quickly identifies potentially compromised systems.

Ease of Use

FortiOS lowers costs and reduces IT staff workloads. Physical or virtual FortiGate appliances give you the flexibility to match your security to your environment while enforcing a uniform security policy. Single pane of glass management and centralized analysis ensure consistent policy creation and enforcement while minimizing deployment and configuration challenges.

Switch & Wireless Controller

Securing BYOD environment with integrated switch & wireless controller capabilities that simplifies network deployments at branch offices while lowering TCO and enhancing security with protection at the edge.

World-Class Technical Support and Documentation

Fortinet FortiCare support offerings provide comprehensive global support for all Fortinet products and services. You can rest assured your Fortinet security products are performing optimally and protecting your users, applications, and data around the clock.



FortiOS Dashboard — Single Pane of Glass Management

FortiOS — The World's Most Advanced Security Operating System

- Client reputation measurements to identify compromised systems in real-time
- On-device behavior-based heuristic engine for protection against advanced threats
- Cloud-based threat protection with operating system sandbox
- Mobile device identification that lets you apply specific access policies to smartphones and tablets
- Next Generation Firewall functions, including Application Control and IPS
- Data Loss Prevention to protect critical information
- Web filtering to prevent access to malicious or inappropriate web sites
- Web-based GUI, 'single pane of glass' management console and on-board reporting for unmatched visibility and control

For complete, up-to-date and detailed feature set, please refer to the Administration Handbook and FortiOS Datasheet

SPECIFICATIONS

	FORTIGATE-200D	FORTIGATE-240D
Hardware Specifications		
10/100/1000 WAN Interfaces (RJ45)		2
10/100/1000 Internal Interfaces (RJ45)	16	40
GbE SFP DMZ Interfaces		2
USB (Client / Server)		1 / 1
Console (RJ45)		1
Local Storage	16 GB	32 GB
System Performance		
Firewall Throughput (1518 / 512 / 64 byte UDP packets)	3 / 3 / 3 Gbps	4 / 4 / 4 Gbps
Firewall Latency (64 byte UDP packets)	2 μ s	6 μ s
Firewall Throughput (Packets Per Second)	4.5 Mpps	6 Mpps
Concurrent Sessions (TCP)	1.4 Million	3.2 Million
New Sessions/Sec (TCP)	77,000	77,000
Firewall Policies	10,000	10,000
IPSec VPN Throughput (512 byte packets)	1.3 Gbps	1.3 Gbps
Gateway-to-Gateway IPSec VPN Tunnels	2,000	2,000
Client-to-Gateway IPSec VPN Tunnels	5,000	5,000
SSL-VPN Throughput	400 Mbps	400 Mbps
Concurrent SSL-VPN Users (Recommended Max)	300	300
IPS Throughput	1.7 Gbps	2.1 Gbps
Antivirus Throughput (Proxy Based / Flow Based)	600 / 1,100 Mbps	600 / 1,100 Mbps
Virtual Domains (Default / Max)		10 / 10
Max Number of FortiAPs		32
Max Number of FortiTokens		1,000
Max Number of Registered FortiClients		2,000
High Availability Configurations	Active / Active, Active / Passive, Clustering	
Dimensions		
Height x Width x Length	1.75 x 17.01 x 11.73 in (44 x 432 x 298 mm)	1.50 x 8.50 x 6.18 in (38 x 216 x 157 mm)
Form Factor	Rack Mount, 1 RU	
Weight	10.5 lbs (4.8 kg)	
Environment		
Power	100 - 240 VAC, 50 - 60 Hz	
Max Current	110 V / 3 A, 220 V / 1.5 A	
Power Consumption (Avg / Max)	55 / 79 W	80 / 98 W
Heat Dissipation	270 BTU / h	335 BTU / h
Operating Temperature / Storage Temperature	32 - 104 °F (0 - 40 °C) / -31 - 158 °F (-35 - 70 °C)	
Humidity	20 to 90% non-condensing	
Compliance		
	FCC Part 15 Class A, C-Tick, VCCI, CE, UL/cUL, CB	
Certifications		
	ICSA Labs: Firewall, IPSec, IPS, Antivirus, SSL VPN	

Note: All performance values are "up to" and vary depending on system configuration. Antivirus performance is measured using 44 Kbyte HTTP files. IPS performance is measured using 1 Mbyte HTTP files.

ORDER INFORMATION

Product	SKU	Description
FortiGate-200D	FG-200D	18 x GE RJ45 (including 16 x LAN ports, 2 x WAN ports), 2x GE SFP DMZ ports, 16GB onboard
FortiGate-240D	FG-240D	42 x GE RJ45 ports (including 40 x LAN ports, 2 x WAN ports), 2 x GE SFP DMZ ports, 32GB onboard storage
Optional Accessories	SKU	Description
Redundant AC Power Supply	FRPS-100	Redundant AC power supply, supports four FG-200B/300C/310B units



GLOBAL HEADQUARTERS

Fortinet Inc.
1090 Kifer Road
Sunnyvale, CA 94086
United States
Tel: +1.408.235.7700
Fax: +1.408.235.7737

EMEA SALES OFFICE

120 rue Albert Caquot
06560, Sophia Antipolis,
France
Tel: +33.4.8987.0510
Fax: +33.4.8987.0501

APAC SALES OFFICE

300 Beach Road #20-01
The Concourse
Singapore 199555
Tel: +65.6513.3730
Fax: +65.6223.6784

LATIN AMERICA SALES OFFICE

Prol. Paseo de la Reforma 115 Int. 702
Col. Lomas de Santa Fe,
C.P. 01219
Del. Alvaro Obregón
México D.F.
Tel: 011-52-(55) 5524-8480

Copyright© 2013 Fortinet, Inc. All rights reserved. Fortinet®, FortiGate®, and FortiGuard®, are registered trademarks of Fortinet, Inc. and other Fortinet names herein may also be trademarks of Fortinet. All other product or company names may be trademarks of their respective owners. Performance metrics contained herein were attained in internal lab tests under ideal conditions, and performance may vary. Network variables, different network environments and other conditions may affect performance results. Nothing herein represents any binding commitment by Fortinet, and Fortinet disclaims all warranties, whether express or implied, except to the extent Fortinet enters a binding written contract, signed by Fortinet's General Counsel, with a purchaser that expressly warrants that the identified product will perform according to the performance metrics herein. For absolute clarity, any such warranty will be limited to performance in the same ideal conditions as in Fortinet's internal lab tests. Fortinet disclaims in full any guarantees. Fortinet reserves the right to change, modify, transfer, or otherwise revise this publication without notice, and the most current version of the publication shall be applicable.